

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

SECTION 1: Identification

1.1 Product identifier

Name **AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B**
 Product number **20636**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Teknova
 2290 Bert Drive
 Hollister California 95023
 United States

Telephone: 1-800-209-4488
 e-mail: info@teknova.com
 Website: www.teknova.com

1.4 Emergency telephone number

CHEM TREC Emergency Phone Number (800)-424-9300

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

not required

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Proprietary Information.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No.	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	sucrose	57-50-1	REL		10 (10 h)					i	NIOSH REL
US	sucrose	57-50-1	PEL		15					i, dust	29 CFR 1910.1000
US	sucrose	57-50-1	REL		5 (10 h)					r	NIOSH REL
US	sucrose	57-50-1	PEL		5					r, dust	29 CFR 1910.1000
US	sucrose (saccharose)	57-50-1	TLV®		10						AC-GIH® 2023
US	hydrogen chloride	7647-01-0	REL					5	7		NIOSH REL
US	hydrogen chloride	7647-01-0	TLV®					2			AC-GIH® 2023
US	hydrogen chloride	7647-01-0	PEL					5	7		29 CFR 1910.1000
US	hydrogen chloride (muriatic acid) (hydrochloric acid)	7647-01-0	PEL (CA)	0.3	0.45			2			Cal/OSHA PEL

Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- dust as dust
- i inhalable fraction
- r respirable fraction
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No.	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sodium chloride	7647-14-5	DNEL	2,069 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

Relevant DNELs of components of the mixture						
Name of substance	CAS No.	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sodium chloride	7647-14-5	DNEL	2,069 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Sodium chloride	7647-14-5	DNEL	295.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium chloride	7647-14-5	DNEL	295.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Hydrochloric Acid, 6N	7647-01-0	DNEL	8 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Hydrochloric Acid, 6N	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No.	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sodium chloride	7647-14-5	PNEC	5 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium chloride	7647-14-5	PNEC	500 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium chloride	7647-14-5	PNEC	4.86 mg/kg	terrestrial organisms	soil	short-term (single instance)
Magnesium Chloride, Anhydrous	7786-30-3	PNEC	3.21 mg/l	aquatic organisms	freshwater	short-term (single instance)
Magnesium Chloride, Anhydrous	7786-30-3	PNEC	0.32 mg/l	aquatic organisms	marine water	short-term (single instance)
Magnesium Chloride, Anhydrous	7786-30-3	PNEC	90 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Magnesium Chloride, Anhydrous	7786-30-3	PNEC	288.9 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Magnesium Chloride, Anhydrous	7786-30-3	PNEC	28.89 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Magnesium Chloride, Anhydrous	7786-30-3	PNEC	662.8 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	no data available
Particle	not relevant (liquid)
Odor	no data available

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	1.33 hPa at 865 °C
Density	not determined
Vapor density	not determined

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

Relative density	Information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
9.2 Other information	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

Acute toxicity

The classification criteria for these hazard classes are not met.

Skin corrosion/irritation

The classification criteria for this hazard class are not met. Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

The classification criteria for this hazard class are not met. Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

The classification criteria for these hazard classes are not met.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

The classification criteria for this hazard class are not met.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Hydrochloric Acid, 6N	7647-01-0	3	

Legend

3 Not classifiable as to carcinogenicity in humans

Specific target organ toxicity - single exposure

The classification criteria for this hazard class are not met. Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

The classification criteria for this hazard class are not met.

Aspiration hazard

The classification criteria for this hazard class are not met.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	There is no additional information.
14.7 Transport in bulk according to IMO instruments	The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities

Name of substance	CAS No	Notes	Reportable quantity (pounds)	Threshold planning quantity (pounds)
Hydrochloric Acid, 6N	7647-01-0	f	5,000	500

Legend

f Chemical on the original list that does not meet toxicity criteria but because of its acute lethality, high production volume and known risk is considered chemical of concern ("Other chemicals"). (November 17, 1986, and February 15, 1990.)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
Hydrochloric Acid, 6N	7647-01-0	acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size	1987-01-01

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Hydrochloric Acid, 6N	7647-01-0		1 3	5000 (2270)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
 3 "3" indicates that the source is section 112 of the Clean Air Act

Clean Air Act

Name of substance	CAS No	Type of registration	Basis for listing	Threshold quantity (lbs)
Hydrochloric Acid, 6N	7647-01-0	Toxic substance	a	5000
Hydrochloric Acid, 6N	7647-01-0	Toxic substance	d	15000

Legend

a Mandated for listing by Congress.
 d Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents.

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No.	Remarks	Classifications
Hydrochloric Acid, 6N	7647-01-0		CO R1

Legend

CO Corrosive
R1 Reactive - First Degree

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	not all ingredients are listed

Legend

TSCA Toxic Substance Control Act

AAV•Tek™ AEX Buffer: AAV2 Elution Buffer 11B

Version number: GHS 1.0

Date of compilation: 2023-04-06

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculation are based on information furnished by the manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in section 1. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Teknova, inc. Shall not be held liable for any damage resulting from handling or from contact with the above product.
Teknova, inc.