

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

SECTION 1: Identification**1.1 Product identifier**

Name **3M Sodium Acetate, pH 5.2**
Product number S0298, S0291, S0296

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

1.3 Details of the supplier of the safety data sheet

Teknova
2290 Bert Dr.
Hollister California 95023
United States

Telephone: 831-637-1100
Telefax: 831-637-2355
e-mail: info@teknova.com
Website: www.teknova.com

1.4 Emergency telephone number

CHEM TREC Emergency Phone Number (800)-424-9300

SECTION 2: Hazard(s) identification**2.1 Classification of the substance or mixture**

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P321 Specific treatment (see on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling

Glacial Acetic Acid

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
DI Water	CAS No 7732-18-5	74.64	
Sodium Acetate, Anhydrous	CAS No 127-09-3	24.62	Acute Tox. 4 / H302
Glacial Acetic Acid	CAS No 64-19-7	0.75	Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Flam. Liq. 3 / H226

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures**4.1 Description of first-aid measures****General notes**

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No.	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
US	acetic acid	64-19-7	PEL (CA)	10	25	15	37	40			Cal/OSHA PEL
US	acetic acid	64-19-7	REL	10 (10 h)	25 (10 h)	15	37				NIOSH REL
US	acetic acid	64-19-7	TLV®	10		15					ACGIH® 2022
US	acetic acid	64-19-7	PEL	10	25						29 CFR 1910.1000

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0

Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

Notation

STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No.	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Sodium Acetate, Anhydrous	127-09-3	DNEL	1,058 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium Acetate, Anhydrous	127-09-3	DNEL	6,347 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Sodium Acetate, Anhydrous	127-09-3	DNEL	12 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium Acetate, Anhydrous	127-09-3	DNEL	72 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No.	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sodium Acetate, Anhydrous	127-09-3	PNEC	0.1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sodium Acetate, Anhydrous	127-09-3	PNEC	0.01 mg/l	aquatic organisms	marine water	short-term (single instance)
Sodium Acetate, Anhydrous	127-09-3	PNEC	0.72 g/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium Acetate, Anhydrous	127-09-3	PNEC	0 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sodium Acetate, Anhydrous	127-09-3	PNEC	0 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sodium Acetate, Anhydrous	127-09-3	PNEC	0 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

Skin protection**- Hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

Nitrile

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Appearance**

Physical state	liquid
Color	no data available
Particle	not relevant (liquid)
Odor	no data available

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	not determined
Density	not determined

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

Vapor density	not determined
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

9.2 Other information	there is no additional information
------------------------------	------------------------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**Acute toxicity**

The classification criteria for these hazard classes are not met.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Sodium Acetate, Anhydrous	127-09-3	oral	1,943 mg/kg
Glacial Acetic Acid	64-19-7	dermal	1,112 mg/kg
Glacial Acetic Acid	64-19-7	inhalation: gas	2,810 ppmV/4h
Glacial Acetic Acid	64-19-7	inhalation: vapor	11 mg/l/4h

Skin corrosion/irritation

The classification criteria for this hazard class are not met. Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

The classification criteria for this hazard class are not met. Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

The classification criteria for this hazard class are not met.

Specific target organ toxicity - single exposure

The classification criteria for this hazard class are not met. Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

The classification criteria for this hazard class are not met.

Aspiration hazard

The classification criteria for this hazard class are not met.

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number

not subject to transport regulations

14.2 UN proper shipping name

not relevant

14.3 Transport hazard class(es)

not assigned

14.4 Packing group

not assigned

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0

Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
Glacial Acetic Acid	64-19-7		1	5000 (2270)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No.	Remarks	Classifications
Glacial Acetic Acid	64-19-7		CO F2

Legend

CO Corrosive

F2 Flammable - Second Degree

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0

Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	all ingredients are listed

Legend

TSCA

Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

3M Sodium Acetate, pH 5.2

Version number: GHS 5.0
Replaces version of: 2020-03-31 (GHS 4)

Revision: 2022-05-10

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3	Other hazards	Other hazards: of no significance	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.		yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
9.1		Particle: not relevant (liquid)	yes
9.1	Explosive limits: not determined		yes
12.6	Other adverse effects: Data are not available.	Endocrine disrupting properties: Information on this property is not available.	yes
14.2	UN proper shipping name: not assigned	UN proper shipping name: not relevant	yes
15.1	VOC content: Regulated Volatile Organic Compounds (VOC-EPA): Regulated Volatile Organic Compounds (VOC-Cal ARB):		yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculation are based on information furnished by the manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in section 1. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Teknova, inc. Shall not be held liable for any damage resulting from handling or from contact with the above product.

Teknova, inc.